

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: A-375

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

Sample ge	ne genotype		uit.		6	UBIO	
	Genotype	analysis resu	ults of STR and	Amelogenin l	oci in cells 💛		
STR Loci	STR profile for Sample cell			STR profile for Cell Bank cell			
	Cell name: A375-2k3			Cell name: A-375 [A375]			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	12	12	BIC	12	12		
D13S317	11	14	\mathbf{e}	11	14		
D7S820	9	9		9	9	BIGE	
D16S539	9	9		9	9 6		
VWA	16	17		16	17		
TH01	6 8	8		8	8		
AMEL	Х	х		х	Х		
ТРОХ	8	10	0	8	10		
CSF1PO	11	12	UBIC	11	12		
D12S391	18	21	8			-5	
FGA	23	23				BIGE	
D2S1338	16	24			6		
D21S11	29	30				-	
D18S51	12	17					
D8S1179	11	14					
D3S1358	15	17		ENE			
D6S1043	11	14	, BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 10	12			
D19S433	13	14.2			
PENTAD	9	15		ENE	
D1S1656	16	17.3	UBIC		

Conclusion: The STR results of <u>A-375</u> cells are consistent with the genotypes of <u>A-375</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CRL-1619</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

