

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HCC827

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	ults of STR and	Amelogenin l	oci in cells		
	STR profile for Sample cell Cell name: HCC827			STR profile for Cell Bank cell Cell name: HCC-827			
STR Loci							
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	12	12	BIC	12	12		
D13S317	9	9	8	9	9		
D7S820	11	12		11	12	BIGE	
D16S539	12	12		12	12		
VWA	18	18		18	18	-	
TH01	6 6	6		6	6		
AMEL	Х	x		х	Х		
TPOX	8	8	. 0	8	8		
CSF1PO	11	11	UBIL	11	11		
D12S391	17	17	8			E	
FGA	24	24				BIOL	
D2S1338	17	20	24.0		6		
D21S11	31	31					
D18S51	13	13					
D8S1179	12	12					
D3S1358	17	17		ENE			
D6S1043	12	12	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

				_		
PENTAE	20	20				
D19S433	14	14				
PENTAD	14	14		ENE		
D1S1656	12	17	18.0			
			0			- 1
1 Conclusio	n. The STR rea	sults of <b>HCC8</b>	27 cells are o	onsistent wit	h the genotyp	es of a GE

 Conclusion: The STR results of <u>HCC827</u> cells are consistent with the genotypes of <u>HCC827</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>ACC-566</u>, and the STR results <u>completely matched</u>. In the test, <u>Multi allele was found</u> in this cell line.

3 UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

