

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: HCCLM3

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	ults of STR and	Amelogenin l	oci in cells		
	Genotype analysis results of STR and STR profile for Sample cell Cell name: HCCLM3			STR profile for Cell Bank cell Cell name: HCC-LM3			
STR Loci							
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	12	13	- IBIC	12	13		
D13S317	8	8		8	11.3		
D7S820	10	10		10	10	BIGE	
D16S539	12	12		12	12		
VWA	14	14		14	14		
TH01	G 9	9		9	9		
AMEL	Х	Y		х	Y		
ТРОХ	8	8	C	8	8		
CSF1PO	11	13	UBIC	11	13		
D12S391	18	18	8			E	
FGA	21	24				BIGE	
D2S1338	20	20			0		
D21S11	31.2	31.2					
D18S51	13	22					
D8S1179	12	13					
D3S1358	15	16		ENE			
D6S1043	12	20	, BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 13 14 PENTAD 8 9 D1S1656 11 16	PENTAE	GE 11	17			
	D19S433	13	14			
D1S1656 11 16	PENTAD	8	9		ENE	
	D1S1656	11	16	JBIC		

4. Conclusion: The STR results of <u>HCCLM3</u> cells are consistent with the genotypes of <u>HCC-LM3</u> cell lines in <u>EXPASY</u> database, the cell ID corresponded to <u>CVCL_6832</u>, and the STR results <u>basically matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

2) UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

