

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: LoVo

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analvsis resu	Its of STR and	Amelogenin l	oci in cells		
STR Loci	STR profile for Sample cell Cell name: LoVo			STR profile for Cell Bank cell Cell name: LoVo			
	D5S818	11	13	BIC	11	13	
D13S317	8	11	$\mathbf{\Theta}$	8	11		
D7S820	9.3	10	11.0	9.3	10	11.0	
D16S539	9	12		9	12		
VWA	17	18		17	18		
TH01	9.3	9.3		9.3	9.3		
AMEL	Х	Y		х	Y		
ТРОХ	8	9		8	9		
CSF1PO	10	13	14.0	11	13	14.0	
D12S391	20	22	23.0			-F	
FGA	18	20				BIGE	
D2S1338	17	18					
D21S11	29	31.2					
D18S51	13	17	18.0				
D8S1179	10	10					
D3S1358	14	17	18.0	ENE			
D6S1043	11	17	BIC				

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 10	16			
D19S433	14	15			
PENTAD	10	14	C	ENE	
D1S1656	13	14	17.0		

 Conclusion: The STR results of <u>LoVo</u> cells are consistent with the genotypes of <u>LoVo</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>IFO50067</u>, and the STR results <u>basically matched</u>. In the test, <u>Multi allele was found</u> in this cell line.

3 UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

