

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: MLE-12

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 20- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genoty	pe analysis	results of ST	R and Amelo	ogenin loci i	in cells	
STR Loci	GESS	TR profile fo	or Sample cel	STR profile for Cell Bank cell Cell name: MLE-12			
	0.	Cell name	e: MLE-12				
	Allele1	Allele2	Allele3	Allele4	Allele1	Allele2	Allele3
18-3	17.0			JBIGE	156.39 【17】		
4-2	19.3				233.94 【19.3】		OIGE
6-7	12.0				334.52 【12】	Θ	Np.
19-2	12.0						
1-2	13.0						
7-1	29.0						
8-1	15.0			EN			
1-1	10.0			BIO			
3-2	14.0		9				
2-1	9.0						, IBIGE
15-3	20.3				192.1 【20.3】		0.
6-4	16.0				290.93 【15.3】		
13-1	15.2						
11-2	15.0						
17-2	15.0			NGEN	<i></i>		

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

12-1	20.0			242【20】	
5-5	14.0			335.92 【14】	
X-1	26.0		BIGEN	405.05 【25.3】	
TH01			0		
D5S818					RIGEN

Note: The cell lines were compared with the STR data of cell lines from ATCC, DSMZ, JCRB and RIKEN databases, the cell lines not included in the above cell banks could not be matched. D4S2408 and TH01 in the above sites is a human site, which is used to detect whether the cell is contaminated by human sources.

4. Conclusion: The results of cell STR of <u>MLE-12</u> cells were <u>completely matched</u> with the control Mouse cell line <u>MLE-12</u>. In the test, <u>None</u> in this cell line.

5. Attached Image

