

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: MRC-5

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	ults of STR and	Amelogenin l	oci in cells		
	STR profile for Sample cell Cell name: MRC-5-Y01-Z			STR profile for Cell Bank cell Cell name: MRC-5			
STR Loci							
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	11	12	BIC	11	12		
D13S317	11	14	8	11	14	-1	
D7S820	10	11		10	11	BIGE	
D16S539	9	11		9	11 6		
VWA	15	15		15	15		
TH01	GE 8	8		8	8		
AMEL	Х	Y		х	Y		
ТРОХ	8	8	. 0	8	8		
CSF1PO	11	12	UBIL	11	12		
D12S391	20	22	8			E	
FGA	21	23				BIGE	
D2S1338	20	20					
D21S11	31.2	31.2					
D18S51	15	21					
D8S1179	13	13					
D3S1358	15	17		ENE			
D6S1043	11	19	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	G-12	16			l l	U III
D19S433	14	15				
PENTAD	12	12		ENE		
D1S1656	12	16.3	UBIC			

4. Conclusion: The STR results of <u>MRC-5</u> cells are consistent with the genotypes of <u>MRC-5</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>CCL-171</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

## 5. Attached Image



O UBIGENE