

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: NCI-H82 [H82]

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis res	ults of STR and	Amelogenin l	oci in cells		
		profile for Sam		STR profile for Cell Bank cell			
STR Loci	Cell name: NCI-H82 [H82]			Cell name: NCI-H82			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	12	12	- IBIC	12	12		
D13S317	8	8		8	8		
D7S820	10	13		10	13	BIGE	
D16S539	12	12		12	12		
VWA	14	14		14	14		
TH01	G 9	9.3		9	9.3		
AMEL	Х	Х		х	Х		
ТРОХ	11	11	. 0	11	11		
CSF1PO	11	11	UBIC	11	11		
D12S391	20	23	8			E	
FGA	24	25				BIGE	
D2S1338	17	24			6		
D21S11	28	30					
D18S51	GE 14	18					
D8S1179	13	13					
D3S1358	17	17		ENE			
D6S1043	20	20	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 13 13 13   PENTAD 10 12 10 12   D1S1656 13 15 10 10	PENTAE	GE 11	12			l l	
	D19S433	13	13				
D1S1656 13 15	PENTAD	10	12		ENE		
	D1S1656	13	15	UBIC			

4. Conclusion: The STR results of <u>NCI-H82 [H82]</u> cells are consistent with the genotypes of <u>NCI-H82</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>ACC-556</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

