

STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: SK-BR-3

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotype	analysis resu	Its of STR and	Amelogenin l	oci in cells	
	STR profile for Sample cell			STR profile for Cell Bank cell Cell name: SK-BR-3		
STR Loci	Cell name: SK-BR-3-Y06-S					
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3
D5S818	9	12	- IBIC	9	12	
D13S317	11	12		11	12	
D7S820	9	9		9	12	BIGE
D16S539	9	9		9	9 6	
VWA	17	17		17	17	-
TH01	GE 8	9		8	9	
AMEL	Х	Х		х	Х	
ТРОХ	8	11	0	8	11	
CSF1PO	12	12	UBIC	12	12	
D12S391	18	20	8			E
FGA	20	20				BIGE
D2S1338	20	25				
D21S11	30	30.2				
D18S51	<u> </u>	13				
D8S1179	12	12				
D3S1358	17	17		ENE		
D6S1043	11	19	BIC			

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 14 14 PENTAD 9 12		11	GC 10	PENTAE
PENTAD 9 12		14	14	D19S433
	ENE	12	9	PENTAD
D1S1656 11 17.3	UBIO	17.3	11	D1S1656

Conclusion: The STR results of <u>SK-BR-3</u> cells are consistent with the genotypes of <u>SK-BR-3</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>736</u>, and the STR results <u>basically matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

5. Attached Image

