

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: SK-N-SH

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

	Genotyne	analysis res	lits of STP and	Amelogenin	oci in cells		
		-		Amelogenin loci in cells STR profile for Cell Bank cell			
STR Loci	STR profile for Sample cell Cell name: SK-N-SH-Y03-Z			Cell name: SK-N-SH			
	Allele1 Allele2 Allele3			Allele1 Allele2 Allele3			
D5S818	12	12	BIC	12	12		
D13S317	11	11		11	11		
D7S820	7	10		7	10	BIGE	
D16S539	8	13		8	13		
VWA	14	18		14	18		
TH01	GE 7	10		7	10		
AMEL	Х	Х		х	Х		
ТРОХ	8	11		8	11		
CSF1PO	11	11	UBIC	11	11		
D12S391	18	22	3			E	
FGA	23.2	24				BIGE	
D2S1338	17	19			8		
D21S11	31	31.2					
D18S51	13	16					
D8S1179	15	15					
D3S1358	15	16		ENE			
D6S1043	12	18	BIC				

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

PENTAE	GE 7	11			
D19S433	13	14			
PENTAD	10	12		ENE	
D1S1656	12	12	JBIC		

4. Conclusion: The STR results of <u>SK-N-SH</u> cells are consistent with the genotypes of <u>SK-N-SH</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>HTB-11</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

